

Mercury Outboards - Specifications - Standard Accessories - 2026.1

Information on this sheet is subject to change without notice.

	Specifications																	Standard Accessories - Single Installation																							
	Shaft Length	Counter Rotation	Tiller Handle	Remote Control	Mechanical Throttle&Shift (MTS)	Digital Throttle&Shift (DTS)	Manual Start	Electric Start	Power Tilt	Power Trim	Conventional Mid Section (CMS)	Advanced Mid Section (AMS)	Optional "Cold Fusion White" Color	Fuel System	Gear Ratio	Command Thrust Gear Case (CT)	Gear Case (Torpedo) Size [inch]	Prop Shaft Diameter [inch]	Displacement [ccm]	Cylinder	Max. RPM at Full Throttle	Dry Weight [kg] *	Integrated Fuel Tank	Remote Fuel Tank	Fuel Quick Connect on Engine Side	Side Remote Control	Tacho Analog	Speedo Analog	Trim Gauge Analog	SC1000 Tacho SmartCraft	SC1000 Speedo SmartCraft	SC100 Trim Gauge SmartCraft	SC100 Fuel Gauge SmartCraft	Electro-Hydraulic Steering	Active Trim	VesselView Mobile	SeaPro Fuel Filter	Propeller			
FourStroke																																									
F225 L	L			x	x		x		x	x			x	EFI	1,85:1	4,88	1	3.400	V6	5200-6000	216	-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F225 XL	XL			x	x		x		x	x			x	EFI	1,85:1	4,88	1	3.400	V6	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F225 CXL	XL	x		x	x		x		x	x			x	EFI	1,85:1	4,88	1	3.400	V6	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F225 XXL	XXL			x	x		x		x	x			x	EFI	1,85:1	4,88	1	3.400	V6	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F225 CXXL	XXL	x		x	x		x		x	x			x	EFI	1,85:1	4,88	1	3.400	V6	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F250 L	L			x	x		x		x	x			x	EFI	1,75:1	5,44	1,25	4.600	V8	5200-6000	239	-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F250 XL	XL			x	x		x		x	x			x	EFI	1,75:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F250 CXL	XL	x		x	x		x		x	x			x	EFI	1,75:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F250 XXL	XXL			x	x		x		x	x			x	EFI	1,75:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F250 CXXL	XXL	x		x	x		x		x	x			x	EFI	1,75:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F300 XL	XL			x	x		x		x	x			x	EFI	1,75:1	5,44	1,25	4.600	V8	5200-6000	239	-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F300 CXL	XL	x		x	x		x		x	x			x	EFI	1,75:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F300 XXL	XXL			x	x		x		x	x			x	EFI	1,75:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F300 CXXL	XXL	x		x	x		x		x	x			x	EFI	1,75:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
Verado																																									
F250 L Verado	L			x	x		x		x	x			x	EFI	1,85:1	5,44	1,25	4.600	V8	5200-6000	272	-	-	-	x	-	-	-	x	x	x	x	x	x	x	x	-	x	x	-	Revolution4
F250 XL Verado	XL			x	x		x		x	x			x	EFI	1,85:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	x	-	x	x	-	Revolution4	
F250 CXL Verado	XL	x		x	x		x		x	x			x	EFI	1,85:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F250 XXL Verado	XXL			x	x		x		x	x			x	EFI	1,85:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F250 CXXL Verado	XXL	x		x	x		x		x	x			x	EFI	1,85:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F300 L Verado	L			x	x		x		x	x			x	EFI	1,85:1	5,44	1,25	4.600	V8	5200-6000	272	-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F300 CL Verado	L	x		x	x		x		x	x			x	EFI	1,85:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F300 XL Verado	XL			x	x		x		x	x			x	EFI	1,85:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F300 CXL Verado	XL	x		x	x		x		x	x			x	EFI	1,85:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F300 XXL Verado	XXL			x	x		x		x	x			x	EFI	1,85:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F300 CXXL Verado	XXL	x		x	x		x		x	x			x	EFI	1,85:1	5,44	1,25	4.600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4		
F350 L Verado	L			x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400	316	-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F350 CL Verado	L	x		x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F350 XL Verado	XL			x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F350 CXL Verado	XL	x		x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F350 XXL Verado	XXL			x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F350 CXXL Verado	XXL	x		x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F350 XXXL Verado	XXXL			x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F350 CXXXL Verado	XXXL	x		x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F400 L Verado	L			x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400	316	-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F400 CL Verado	L	x		x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F400 XL Verado	XL			x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F400 CXL Verado	XL	x		x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F400 XXL Verado	XXL			x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F400 CXXL Verado	XXL	x		x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F400 XXXL Verado	XXXL			x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		
F400 CXXXL Verado	XXXL	x		x	x		x		x	x			x	EFI	2,08:1	6,4		5.700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	RevolutionX		

